INDEX TO VOLUME 35 2000

Index to Authors and Contributors

AHMAD, I. *Paper* Deformations and stresses in pin-loaded tubes under axial tension, 329
AINSWORTH, R. A. *Paper* Effects of residual stresses on fracture behaviour—experimental results and assessment methods, 307
AKISANYA, A. R. *Paper* Effects of geometry on the deformation of asphaltic plug joints subjected to surface tractions, 403
ALTENBACH, H. *Paper* Cyclic creep damage in thin-walled structures, 1

BALL, A. A. *Paper* Modelling of the hardening characteristics for superplastic materials, 149
BECKER, A. A. *Papers* Life assessment of weld repairs in $\frac{1}{2}$Cr$\frac{1}{2}$Mo$\frac{1}{4}$V main steam pipes using the finite element method, 359. Development of a representative test specimen for frictional contact in spline joint couplings, 521
BEGHINI, M. *Paper* Analytical expressions of the influence functions for accuracy and versatility improvement in the hole-drilling method, 125
BERTINI, L. *Paper* Analytical expressions of the influence functions for accuracy and versatility improvement in the hole-drilling method, 125
BOUCHARD, P. J. *Paper* Measurement and prediction of residual stresses in thick-section steel welds, 287
BOYLE, J. T. *Paper* The elastic compensation method for limit and shakedown analysis: a review, 171
BRENNAN, F. P. *Paper* Non-contacting residual stress decay detecting using alternating current stress measurement, 227
BRESLAVSKY, D. *Paper* Cyclic creep damage in thin-walled structures, 1
BROWN, C. J. *Paper* Factors influencing the elastic stability of orthotropic plates containing a rectangular cut-out, 445
BUDDEN, P. J. An inductive procedure for determining the stresses in multi-material components under steady state creep, 347

CHAPLIN, C. R. *Paper* Measurement of cyclic bending strains in steel wire rope, 545
CHEN, K. *Paper* Non-contacting residual stress decay detecting using alternating current stress measurement, 227
CHEN, W. Q. *Paper* Stress distribution in a rotating elastic functionally graded material hollow sphere with spherical isotrophy, 13
CHEONG, B. H. *Paper* Modelling of the hardening characteristics for superplastic materials, 149
CIAVARELLA, M. *Technical Notes* Conditions of yield and cyclic plasticity around inclusions, 65. On the extraction of notch stress intensity factors by the post-processing of stress data on the free edges of the notch, 221
CRISTOFOLINI, L. *Paper* Development and validation of a technique for strain measurement inside polymethyl methacrylate, 21

de LACERDA, L. A. *Paper* Frictional contact analysis of coated axisymmetric bodies using the boundary element method, 423
DEMELIO, G. *Technical Note* On the extraction of notch stress intensity factors by the post-processing of stress data on the free edges of the notch, 221
de SWARDT, R. R. *Paper* Comparative measurements on autofrettaged cylinders with large Bauschinger reverse yielding zones, 459
DOVER, W. D. *Paper* Non-contacting residual stress decay detecting using alternating current stress measurement, 227
DUBEY, R. N. *Technical Note* Variable material property method in the analysis of cold-worked fastener holes, 137
DYE, D. *Paper* The determination of the residual strains and stresses in the tungsten inert gas welded sheet of IN718 superalloy using neutron diffraction, 247

EVANS, M. *Paper* Predicting rupture and low strain times for a 2.25Cr–1Mo steel using a six-θ projection technique, 389
EZEILO, A. N. *Paper* Neutron diffraction analysis of the residual stress distribution in a bent bar, 235

FAURHOLDT, T. G. *Paper* Inverse modelling of constitutive parameters for elastoplastic problems, 471

GEORGE, D. *Paper* Measurement and prediction of residual stresses in thick-section steel welds, 287
GRAY, T. G. F. *Paper* Structural integrity of a welded attachment junction: analysis and collapse tests, 567

HAMILTON, R. *Paper* The elastic compensation method for limit and shakedown analysis: a review, 171
HEATON, A. *Paper* Structural integrity of a welded attachment junction: analysis and collapse tests, 567
HELLER, M. *Paper* Investigation of shape optimization for the design of life extension options for an F/A-18 airframe FS 470 bulkhead, 493
HERDI, M. *Technical Note* A parametric stability analysis of composite plates tapered in planform, 59
HILLS, D. A. *Papers* Measurement of residual stresses in beams and plates using the crack compliance technique, 277. A shrink-fit peg in a hole subjected to bending: unloading, reloading and frictional shakedown, 319. Solution of axisymmetric crack problems using distributed dislocation ring dipoles, 373. A procedure for the solution of general contact problems for the elastic half-space, 559. *Technical Note* Brief note: some observations on the parametric relationships in Hertzian fretting fatigure tests, 441
HWANG, K. C. *Paper* Stress analysis of cylindrical shells with nozzles due to external run pipe moments, 159
HYDE, T. H. *Papers* On the prediction of elastic–plastic generalized load–displacement responses for tubular joints, 205. An inductive procedure for determining the stresses in multi-material components under steady state creep, 347. Life assessment of weld repairs in $\frac{1}{2}$Cr$\frac{1}{2}$Mo$\frac{1}{4}$V main steam pipes using the finite element method, 359. Development of a representative test specimen for frictional contact in spline joint couplings, 521
HYDE, T. R. *Paper* Development of a representative test specimen for frictional contact in spline joint couplings, 521

IMBABI, M. S. *Paper* Effects of geometry on the deformation of asphaltic plug joints subjected to surface tractions, 403

JAHED, H. *Technical Note* Variable material property method in the analysis of cold-worked fastener holes, 137

KAYE, R. *Paper* Investigation of shape optimization for the design of life extension options for an F/A-18 airframe FS 470 bulkhead, 493
KORSUNSKY, A. M. *Paper* Solution of axisymmetric crack problems using distributed dislocation ring dipoles, 373
KYRIACOU, S. *Paper* Comparative measurements on autofrettaged cylinders with large Bauschinger reverse yielding zones, 459

LAMBERT, S. B. *Technical Note* Variable material property method in the analysis of cold-worked fastener holes, 137
LEEN, S. B. *Papers* On the prediction of elastic–plastic generalized load–displacement responses for tubular joints, 205. Development of a representative test specimen for frictional contact in spline joint couplings, 521
LIN, J. *Paper* Modelling of the hardening characteristics for superplastic materials, 149
LIN, S. Y. *Paper* Effect of dissimilar interfacial roughness properties on deformation characteristics of plastic compression, 71
LIU, Q. *Paper* Strain concentration factor of notched cylindrical bars under tension creep, 507
LUBIS, A. *Paper* Structural integrity of a welded attachment junction: analysis and collapse tests, 567

McCOLL, I. R. *Paper* Development of a representative test specimen for frictional contact in spline joint couplings, 521
MACKENZIE, D. *Papers* The elastic compensation method for limit and shakedown analysis: a review, 171. Structural integrity of a welded attachment junction: analysis and collapse tests, 567

© IMechE 2000

INDEX TO VOLUME 35 2000

Index to Authors and Contributors

AHMAD, I. *Paper* Deformations and stresses in pin-loaded tubes under axial tension, 329
AINSWORTH, R. A. *Paper* Effects of residual stresses on fracture behaviour—experimental results and assessment methods, 307
AKISANYA, A. R. *Paper* Effects of geometry on the deformation of asphaltic plug joints subjected to surface tractions, 403
ALTENBACH, H. *Paper* Cyclic creep damage in thin-walled structures, 1

BALL, A. A. *Paper* Modelling of the hardening characteristics for superplastic materials, 149
BECKER, A. A. *Papers* Life assessment of weld repairs in $\frac{1}{2}$Cr$\frac{1}{2}$Mo$\frac{1}{4}$V main steam pipes using the finite element method, 359. Development of a representative test specimen for frictional contact in spline joint couplings, 521
BEGHINI, M. *Paper* Analytical expressions of the influence functions for accuracy and versatility improvement in the hole-drilling method, 125
BERTINI, L. *Paper* Analytical expressions of the influence functions for accuracy and versatility improvement in the hole-drilling method, 125
BOUCHARD, P. J. *Paper* Measurement and prediction of residual stresses in thick-section steel welds, 287
BOYLE, J. T. *Paper* The elastic compensation method for limit and shakedown analysis: a review, 171
BRENNAN, F. P. *Paper* Non-contacting residual stress decay detecting using alternating current stress measurement, 227
BRESLAVSKY, D. *Paper* Cyclic creep damage in thin-walled structures, 1
BROWN, C. J. *Paper* Factors influencing the elastic stability of orthotropic plates containing a rectangular cut-out, 445
BUDDEN, P. J. An inductive procedure for determining the stresses in multi-material components under steady state creep, 347

CHAPLIN, C. R. *Paper* Measurement of cyclic bending strains in steel wire rope, 545
CHEN, K. *Paper* Non-contacting residual stress decay detecting using alternating current stress measurement, 227
CHEN, W. Q. *Paper* Stress distribution in a rotating elastic functionally graded material hollow sphere with spherical isotrophy, 13
CHEONG, B. H. *Paper* Modelling of the hardening characteristics for superplastic materials, 149
CIAVARELLA, M. *Technical Notes* Conditions of yield and cyclic plasticity around inclusions, 65. On the extraction of notch stress intensity factors by the post-processing of stress data on the free edges of the notch, 221
CRISTOFOLINI, L. *Paper* Development and validation of a technique for strain measurement inside polymethyl methacrylate, 21

de LACERDA, L. A. *Paper* Frictional contact analysis of coated axisymmetric bodies using the boundary element method, 423
DEMELIO, G. *Technical Note* On the extraction of notch stress intensity factors by the post-processing of stress data on the free edges of the notch, 221
de SWARDT, R. R. *Paper* Comparative measurements on autofrettaged cylinders with large Bauschinger reverse yielding zones, 459
DOVER, W. D. *Paper* Non-contacting residual stress decay detecting using alternating current stress measurement, 227
DUBEY, R. N. *Technical Note* Variable material property method in the analysis of cold-worked fastener holes, 137
DYE, D. *Paper* The determination of the residual strains and stresses in the tungsten inert gas welded sheet of IN718 superalloy using neutron diffraction, 247

EVANS, M. *Paper* Predicting rupture and low strain times for a 2.25Cr–1Mo steel using a six-θ projection technique, 389
EZEILO, A. N. *Paper* Neutron diffraction analysis of the residual stress distribution in a bent bar, 235

FAURHOLDT, T. G. *Paper* Inverse modelling of constitutive parameters for elastoplastic problems, 471

GEORGE, D. *Paper* Measurement and prediction of residual stresses in thick-section steel welds, 287
GRAY, T. G. F. *Paper* Structural integrity of a welded attachment junction: analysis and collapse tests, 567

HAMILTON, R. *Paper* The elastic compensation method for limit and shakedown analysis: a review, 171
HEATON, A. *Paper* Structural integrity of a welded attachment junction: analysis and collapse tests, 567
HELLER, M. *Paper* Investigation of shape optimization for the design of life extension options for an F/A-18 airframe FS 470 bulkhead, 493
HERDI, M. *Technical Note* A parametric stability analysis of composite plates tapered in planform, 59
HILLS, D. A. *Papers* Measurement of residual stresses in beams and plates using the crack compliance technique, 277. A shrink-fit peg in a hole subjected to bending: unloading, reloading and frictional shakedown, 319. Solution of axisymmetric crack problems using distributed dislocation ring dipoles, 373. A procedure for the solution of general contact problems for the elastic half-space, 559. *Technical Note* Brief note: some observations on the parametric relationships in Hertzian fretting fatigure tests, 441
HWANG, K. C. *Paper* Stress analysis of cylindrical shells with nozzles due to external run pipe moments, 159
HYDE, T. H. *Papers* On the prediction of elastic–plastic generalized load–displacement responses for tubular joints, 205. An inductive procedure for determining the stresses in multi-material components under steady state creep, 347. Life assessment of weld repairs in $\frac{1}{2}$Cr$\frac{1}{2}$Mo$\frac{1}{4}$V main steam pipes using the finite element method, 359. Development of a representative test specimen for frictional contact in spline joint couplings, 521
HYDE, T. R. *Paper* Development of a representative test specimen for frictional contact in spline joint couplings, 521

IMBABI, M. S. *Paper* Effects of geometry on the deformation of asphaltic plug joints subjected to surface tractions, 403

JAHED, H. *Technical Note* Variable material property method in the analysis of cold-worked fastener holes, 137

KAYE, R. *Paper* Investigation of shape optimization for the design of life extension options for an F/A-18 airframe FS 470 bulkhead, 493
KORSUNSKY, A. M. *Paper* Solution of axisymmetric crack problems using distributed dislocation ring dipoles, 373
KYRIACOU, S. *Paper* Comparative measurements on autofrettaged cylinders with large Bauschinger reverse yielding zones, 459

LAMBERT, S. B. *Technical Note* Variable material property method in the analysis of cold-worked fastener holes, 137
LEEN, S. B. *Papers* On the prediction of elastic–plastic generalized load–displacement responses for tubular joints, 205. Development of a representative test specimen for frictional contact in spline joint couplings, 521
LIN, J. *Paper* Modelling of the hardening characteristics for superplastic materials, 149
LIN, S. Y. *Paper* Effect of dissimilar interfacial roughness properties on deformation characteristics of plastic compression, 71
LIU, Q. *Paper* Strain concentration factor of notched cylindrical bars under tension creep, 507
LUBIS, A. *Paper* Structural integrity of a welded attachment junction: analysis and collapse tests, 567

McCOLL, I. R. *Paper* Development of a representative test specimen for frictional contact in spline joint couplings, 521
MACKENZIE, D. *Papers* The elastic compensation method for limit and shakedown analysis: a review, 171. Structural integrity of a welded attachment junction: analysis and collapse tests, 567

© IMechE 2000

MADHAVAN, V. *Paper* Twisted impregnated yarns: elastic properties, 83
MAJIMA, T. *Paper* Strain concentration factor of notched cylindrical bars under tension creep, 507
MOFFAT, D. G. *Papers* Piping elbows with cracks. Part 1: a parametric study of the influence of crack size on limit loads due to pressure and opening bending, 35. Piping elbows with cracks. Part 2: global finite element and experimental plastic loads under opening bending, 47
MORACHKOVSKY, O. *Paper* Cyclic creep damage in thin-walled structures, 1
MORETON, D. N. *Papers* Piping elbows with cracks. Part 1: a parametric study of the influence of crack size on limit loads due to pressure and opening bending, 35. Piping elbows with cracks. Part 2: global finite element and experimental plastic loads under opening bending, 47

NAIK, N. K. *Paper* Twisted impregnated yarns: elastic properties, 83
NAUMENKO, K. *Paper* Cyclic creep damage in thin-walled structures, 1
NOWELL, D. *Paper* Measurement of residual stresses in beams and plates using the crack compliance technique, 277

O'BRIEN, E. W. *Paper* Beneficial residual stress from the cold expansion of large holes in thick light alloy plate, 261

PANAYIOTOU, P. *Paper* Numerical and experimental uniaxial loading on in-plane auxetic honeycombs, 383

QIAN, Z. Q. *Paper* Effects of geometry on the deformation of asphaltic plug joints subjected to surface tractions, 403

REED, R. C. *Paper* The determination of the residual strains and stresses in a tungsten inert gas welded sheet of IN718 superalloy using neutron diffraction, 247
REES, D. W. A. *Paper* Rim and pole failures from elliptical bulging of oriented orthotropic sheet metal, 109
RIDGE, I. M. L. *Paper* Measurement of cyclic bending strains in steel wire rope, 545
ROBERTS, S. M. *Paper* The determination of the residual strains and stresses in a tungsten inert gas welded sheet of IN718 superalloy using neutron diffraction, 247

SACKFIELD, A. *Paper* A procedure for the solution of general contact problems for the elastic half-space, 559
SAVI, M. A. *Paper* Modelling and simulation of the delamination in composite materials, 479
SCARPA, F. *Paper* Numerical and experimental uniaxial loading on in-plane auxetic honeycombs, 383
SHARPLES, J. K. *Paper* Effects of residual stresses on fracture behaviour—experimental results and assessment methods, 307
SHEN, H.-S. *Paper* Non-linear bending of shear deformable laminated plates under lateral pressure and thermal loading and resting on elastic foundations, 93
SHIMAMOTO, A. *Paper* Application of isotropic points extracted using computerized photoelastic experiment to design structural members, 415
SMITH, D. J. *Paper* Measurement and prediction of residual stresses in thick-section steel welds, 287
SMITH, S. D. *Paper* Effects of residual stresses on fracture behaviour—experimental results and assessment methods, 307
STANLEY, P. *Technical Note* Stress concentrations at an oblique hole in a thick plate, 143. *Paper* Deformations and stresses in pin-loaded tubes under axial tension, 329
STARR, A. G. *Technical Note* Stress concentrations at an oblique hole in a thick plate, 143
SUN, W. *Papers* An inductive procedure for determining the stresses in multi-material components under steady state creep, 347. Life assessment of weld repairs in $\frac{1}{2}$Cr$\frac{1}{2}$Mo$\frac{1}{4}$V main steam pipes using the finite element method, 359

TANG, A. *Paper* An inductive procedure for determining the stresses in multi-material components under steady state creep, 347
TAYLOR, J. W. *Paper* Development of a representative test specimen for frictional contact in spline joint couplings, 521
TOCHILIN, S. *Paper* Measurement of residual stresses in beams and plates using the crack compliance technique, 277
TOMLINSON, G. *Paper* Numerical and experimental uniaxial loading on in-plane auxetic honeycombs, 383
TORIBIO, J. *Paper* Numerical modelling of hydrogen embrittlement of cylindrical bars with residual stress fields, 189
TRUMAN, C. E. *Paper* A procedure for the solution of general contact problems for the elastic half-space, 559
TUTUNCU, N. *Technical Note* A parametric stability analysis of composite plates tapered in planform, 59

UMEZAKI, E. *Paper* Application of isotropic points extracted using computerized photoelastic experiment to design structural members, 415
URRIOLAGOITIA-SOSA, G. *Paper* A shrink-fit peg in a hole subjected to bending: unloading, reloading and frictional shakedown, 319. *Technical Note* Brief note: some observations on the parametric relationships in Hertzian fretting fatigue tests, 441

VENTER, A. M. *Paper* Comparative measurements on autofrettaged cylinders with large Bauschinger reverse yielding zones, 459
VICECONTI, M. *Paper* Development and validation of a technique for strain measurement inside polymethyl methacrylate, 21
VIEIRA CARNEIRO, C. A. *Paper* Modelling and simulation of the delamination in composite materials, 479

WANG, H. H. *Paper* Stress analysis of cylindrical shells with nozzles due to external run pipe moments, 159
WEBSTER, G. A. *Paper* Neutron diffraction analysis of the residual stress distribution in a bent bar, 235
WILLIAMS, E. J. *Paper* Development of a representative test specimen for frictional contact in spline joint couplings, 521
WITHERS, P. J. *Paper* The determination of the residual strains and stresses in a tungsten inert gas welded sheet of IN718 superalloy using neutron diffraction, 247
WROBEL, L. C. *Paper* Frictional contact analysis of coated axisymmetric bodies using the boundary element method, 423

XUE, M. D. *Paper* Stress analysis of cylindrical shells with nozzles due to external run pipe moments, 159

YAHIAOUI, K. *Papers* Piping elbows with cracks. Part 1: a parametric study of the influence of crack size on limit loads due to pressure and opening bending, 35. Piping elbows with cracks. Part 2: global finite element and experimental plastic loads under opening bending, 47
YETTRAM, A. L. *Paper* Factors influencing the elastic stability of orthotropic plates containing a rectangular cut-out, 445

ZHENG, J. *Paper* Measurement of cyclic bending strains in steel wire rope, 545

© IMechE 2000

Subject Index

Analysis:
  frictional contact, 423
  limit and shakedown, 171
  neutron diffraction, 235
  of cold-worked fastener holes, 137
  parametric stability, 59
  stress, 159
ANALYTICAL EXPRESSIONS OF THE INFLUENCE FUNCTIONS FOR ACCURACY AND VERSATILITY IMPROVEMENT IN THE HOLE-DRILLING METHOD, *Paper*, 125
AN INDUCTIVE PROCEDURE FOR DETERMINING THE STRESSES IN MULTI-MATERIAL COMPONENTS UNDER STEADY STATE CREEP, *Paper*, 347
A PARAMETRIC STABILITY ANALYSIS OF COMPOSITE PLATES TAPERED IN PLANFORM, *Technical Note*, 59
APPLICATION OF ISOTROPIC POINTS EXTRACTED USING COMPUTERIZED PHOTOELASTIC EXPERIMENT TO DESIGN STRUCTURAL MEMBERS, *Paper*, 415
A PROCEDURE FOR THE SOLUTION OF GENERAL CONTACT PROBLEMS FOR THE ELASTIC HALF-SPACE, *Paper*, 559
A SHRINK-FIT PEG IN A HOLE SUBJECTED TO BENDING: UNLOADING, RELOADING AND FRICTIONAL SHAKEDOWN, *Paper*, 319

Bars:
  bent, 235
  cylindrical, 189
  notched cylindrical, 507
Bauschinger reverse yielding zones, 459
Beams, 277
Bending, 319
  non-linear, 93
  opening, 35, 47
BENEFICIAL RESIDUAL STRESS FROM THE COLD EXPANSION OF LARGE HOLES IN THICK LIGHT ALLOY PLATE, *Paper*, 261
Boundary element method, 423
BRIEF NOTE: SOME OBSERVATIONS ON THE PARAMETRIC RELATIONSHIPS IN HERTZIAN FRETTING FATIGUE TESTS, *Technical Notes*, 441
Bulging, elliptical, 109

Characteristics, hardening, 149
Coated axisymmetric bodies, 423
COMPARATIVE MEASUREMENTS ON AUTOFRETTAGED CYLINDERS WITH LARGE BAUSCHINGER REVERSE YIELDING ZONES, *Paper*, 459
Compression, plastic, 71
Concentrations, stress, 143
CONDITIONS OF YIELD AND CYCLIC PLASTICITY AROUND INCLUSIONS, *Technical Note*, 65
Contact problems, 559
Couplings, spline joint, 521
Cracks, 35, 47
  axisymmetric, 373
  compliance technique, 277
  size, 35
Creep:
  cyclic, 1
  steady state, 347
$\frac{1}{2}Cr\frac{1}{2}Mo\frac{1}{4}V$, 359
CYCLIC CREEP DAMAGE IN THIN-WALLED STRUCTURES, *Paper*, 1
Cylinders, autofrettaged, 459

Damage, cyclic creep, 1
Deformation, 71, 329, 403
DEFORMATIONS AND STRESSES IN PIN-LOADED TUBES UNDER AXIAL TENSION, *Paper*, 329
Delamination, 479
Design, structural members, 415
DEVELOPMENT AND VALIDATION OF A TECHNIQUE FOR STRAIN MEASUREMENT INSIDE POLYMETHYL METHACRYLATE, *Paper*, 21
DEVELOPMENT OF A REPRESENTATIVE TEST SPECIMEN FOR FRICTIONAL CONTACT IN SPLINE JOINT COUPLINGS, *Paper*, 521
Diffraction:
  neutron, 247
  neutron, analysis, 235
Dipoles, distributed ring, 373
Distribution, residual stress, 235

EFFECT OF DISSIMILAR INTERFACIAL ROUGHNESS PROPERTIES ON DEFORMATION CHARACTERISTICS OF PLASTIC COMPRESSION, *Paper*, 71
EFFECTS OF GEOMETRY ON THE DEFORMATION OF ASPHALTIC PLUG JOINTS SUBJECTED TO SURFACE TRACTIONS, *Paper*, 403
EFFECTS OF RESIDUAL STRESSES ON FRACTURE BEHAVIOUR—EXPERIMENTAL RESULTS AND ASSESSMENT METHODS, *Paper*, 307
Elastic, 83
  compensation method, 171
  foundations, 93
  half-space, 559
  –plastic, 205
  properties, 83
  stability, 445
Elastoplastic problems, 471
Elbows, piping, 35, 47
Expansion, cold, 261

F/A-18 airframe FS 470 bulkhead, 493
FACTORS INFLUENCING THE ELASTIC STABILITY OF ORTHOTROPIC PLATES CONTAINING A RECTANGULAR CUT-OUT, *Paper*, 445
Failures:
  rim and pole, 109
Finite element:
  global, 47
  method, 359
Fracture behaviour, 307
Frictional contact, 521
FRICTIONAL CONTACT ANALYSIS OF COATED AXISYMMETRIC BODIES USING THE BOUNDARY ELEMENT METHOD, *Paper*, 423
Frictional contact analysis, 423
Frictional shakedown, 319
Foundations, elastic, 93
Functions, influence, 125

Hardening characteristics, 149
Holes, 261
  cold-worked fastener, 137
  oblique, 143
Honeycombs, in-plane auxetic, 383
Hydrogen embrittlement, 189

Inclusions, 65
Inductive procedure, 347
INVERSE MODELLING OF CONSTITUTIVE PARAMETERS FOR ELASTOPLASTIC PROBLEMS, *Paper*, 471
INVESTIGATION OF SHAPE OPTIMIZATION FOR THE DESIGN OF LIFE EXTENSION OPTIONS FOR AN F/A-18 AIRFRAME FS 470 BULKHEAD, *Paper*, 493
Isotropic points, 415
Isotrophy, spherical, 13

Joints:
  asphaltic plug, 403
  tubular, 205

© IMechE 2000

LIFE ASSESSMENT OF WELD REPAIRS IN $\frac{1}{2}$Cr$\frac{1}{2}$Mo$\frac{1}{4}$V MAIN STEAM PIPES USING THE FINITE ELEMENT METHOD, *Paper*, 359
Life extension options, 493
Load, 35
  –displacement responses, 205
  experimental plastic, 47
  limit, 35
Loading:
  thermal, 93
  uniaxial, 383

Materials:
  composite, 479
  superplastic, 149
Measurement:
  alternating current stress, 227
  cyclic bending strains, 545
  residual stresses, 277, 287
  strain, 21
MEASUREMENT AND PREDICTION OF RESIDUAL STRESSES IN THICK-SECTION STEEL WELDS, *Paper*, 287
MEASUREMENT OF CYCLIC BENDING STRAINS IN STEEL WIRE ROPE, *Paper*, 545
MEASUREMENT OF RESIDUAL STRESSES IN BEAMS AND PLATES USING THE CRACK COMPLIANCE TECHNIQUE, *Paper*, 277
Metal, orthotropic sheet, 109
Method:
  assessment, 307
  boundary element, 423
  elastic compensation, 171
  finite element, 359
  hole-drilling, 125
  variable material property, 137
Modelling:
  hardening characteristics, 149
  inverse, 471
  numerical, 189
MODELLING AND SIMULATION OF THE DELAMINATION IN COMPOSITE MATERIALS, *Paper*, 479
MODELLING OF THE HARDENING CHARACTERISTICS FOR SUPERPLASTIC MATERIALS, *Paper*, 149
Moments, external run pipe, 159
Multi-material components, 347

Neutron diffraction analysis, 235
NEUTRON DIFFRACTION ANALYSIS OF THE RESIDUAL STRESS DISTRIBUTION IN A BENT BAR, *Paper*, 235
NON-CONTACTING RESIDUAL STRESS DECAY DETECTING USING ALTERNATING CURRENT STRESS MEASUREMENT, *Paper*, 227
NON-LINEAR BENDING OF SHEAR DEFORMABLE LAMINATED PLATES UNDER LATERAL PRESSURE AND THERMAL LOADING AND RESTING ON ELASTIC FOUNDATIONS, *Paper*, 93
Notch, stress intensity factors, 221
Nozzles, 159
NUMERICAL AND EXPERIMENTAL UNIAXIAL LOADING ON IN-PLANE AUXETIC HONEYCOMBS, *Paper*, 383
NUMERICAL MODELLING OF HYDROGEN EMBRITTLEMENT OF CYLINDRICAL BARS WITH RESIDUAL STRESS FIELDS, *Paper*, 189

ON THE EXTRACTION OF NOTCH STRESS INTENSITY FACTORS BY THE POST-PROCESSING OF STRESS DATA ON THE FREE EDGES OF THE NOTCH, *Technical Note*, 221
ON THE PREDICTION OF THE ELASTIC–PLASTIC GENERALIZED LOAD–DISPLACEMENT RESPONSES FOR TUBULAR JOINTS, *Paper*, 205

Parametric relationships, 441
Peg, shrink-fit, 319
Photoelastic experiment, computerized, 415
Pipe:
  main steam, 359
  moments, 159
PIPING ELBOWS WITH CRACKS. PART 1: A PARAMETRIC STUDY OF THE INFLUENCE OF CRACK SIZE ON LIMIT LOADS DUE TO PRESSURE AND OPENING BENDING, *Paper*, 35
PIPING ELBOWS WITH CRACKS. PART 2: GLOBAL FINTE ELEMENT AND EXPERIMENTAL PLASTIC LOADS UNDER OPENING BENDING, *Paper*, 47
Planform, 59
Plastic:
  compression, 71
  elastic–, 205
Plasticity, cyclic, 65
Plates, 277
  composite, 59
  orthotropic, 445
  shear deformable laminated, 93
  thick, 143
  thick light alloy, 261
Polymethyl methacrylate, 21
Post-processing, 221
PREDICTING RUPTURE AND LOW STRAIN TIMES FOR A 2.25Cr–1Mo STEEL USING A SIX-θ PROJECTION TECHNIQUE, *Paper*, 389
Pressure, 35
  lateral, 93

Reloading, 319
Responses, generalized load–displacement, 205
RIM AND POLE FAILURES FROM ELLIPTICAL BULGING OF ORIENTED ORTHOTROPIC SHEET METAL, *Paper*, 109
Rope, steel wire, 545
Roughness, dissimilar interfacial, 71
Rupture, 389

Shakedown, frictional, 319
Shape optimization, 493
Shear, 93
Shells, cylindrical, 159
Simulation, 479
SOLUTION OF AXISYMMETRIC CRACK PROBLEMS USING DISTRIBUTED DISLOCATION RING DIPOLES, *Paper*, 373
Specimen, representative test, 521
Sphere:
  material hollow, 13
  rotating, 13
Steel, 389
  2.25Cr–1Mo wire rope, 545
  rope, 545
  welds, 287
Strain, 389
  concentration factor, 507
  cyclic bending, 545
  measurement, 21
  residual, 247
STRAIN CONCENTRATION FACTOR OF NOTCHED CYLINDRICAL BARS UNDER TENSION CREEP, *Paper*, 507
Stress, 221, 329, 347
  concentrations, 143
  decay, 227
  distribution, 13, 235
  measurement, 227
  non-contacting residual, 227
  notch, intensity factors, 221
  residual, 189, 235, 247, 261, 277, 287, 307
STRESS ANALYSIS OF CYLINDRICAL SHELLS WITH NOZZLES DUE TO EXTERNAL RUN PIPE MOMENTS, *Paper*, 159
STRESS CONCENTRATIONS AT AN OBLIQUE HOLE IN A THICK PLATE, *Technical Note*, 143
STRESS DISTRIBUTION IN A ROTATING ELASTIC FUNCTIONALLY GRADED MATERIAL HOLLOW SPHERE WITH SPHERICAL ISOTROPY, *Paper*, 13
STRUCTURAL INTENGRITY OF A WELDED ATTACHMENT JUNCTION: ANALYSIS AND COLLAPSE TESTS, *Paper*, 567
Structures, thin-walled, 1
Superalloy, IN718, 247
Superplastic materials, 149

© IMechE 2000

Technique:
crack compliance, 277
six-θ projection, 389
strain measurement, 21
Tension:
axial, 329
creep, 507
Test:
analysis and collapse, 567
Hertzian fretting fatigue tests, 441
THE DETERMINATION OF THE RESIDUAL STRAINS AND STRESSES IN A TUNGSTEN INERT GAS WELDED SHEET OF IN718 SUPERALLOY USING NEUTRON DIFFRACTION, *Paper*, 247
THE ELASTIC COMPENSATION METHOD FOR LIMIT AND SHAKEDOWN ANALYSIS: A REVIEW, *Paper*, 171
Tractions, surface, 403
Tubes, pin-loaded, 329
Tungsten, 247

TWISTED IMPREGNATED YARNS: ELASTIC PROPERTIES, *Paper*, 83

Unloading, 319

VARIABLE MATERIAL PROPERTY METHOD IN THE ANALYSIS OF COLD-WORKED FASTENER HOLES, *Technical Note*, 137

Weld:
repairs, 359
thick-section steel, 287
Welded:
attachment junction, 567
tungsten inert gas, sheet, 247

Yarns, twisted impregnated, 83
Yield, 65

© IMechE 2000